# CYP2C9 Polyclonal Antibody

catalog number: E-AB-14908



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

**Immunogen** Recombinant protein of human CYP2C9

Host Rabbit IgG **Is otype** 


**Purification** Affinity purification Unconjugated Conjugation


buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

**Applications Recommended Dilution** 

IHC 1:50-1:200

## Data





Immunohistochemistry of paraffin-embedded Human liver 1:50

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using CYP2C9 Polyclonal Antibody at dilution cancer tissue using CYP2C9 Polyclonal Antibody at dilution 1:50

## Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

### Background

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by rifampin. The enzyme is known to metabolize many xenobiotics, including phenytoin, tolbutamide, ibuprofen and S-warfarin. Studies identifying individuals who are poor metabolizers of phenytoin and tolbutamide suggest that this gene is polymorphic. The gene is located within a cluster of cytochrome P450 genes on chromosome 10q24.

### For Research Use Only