



A Reliable Research Partner in Life Science and Medicine

PerCP/Cyanine5.5 Anti-Human CD161 Antibody[HP-3G10]

Catalog Number: E-AB-F1155J

Note: Centrifuge before opening to ensure complete recovery of vial contents.

_		400	
Desc		7 77	٦n
レヒコレ	ш		711

Reactivity Human Mouse Host

Isotype Mouse IgG1, ĸ Clone No. HP-3G10

PerCP/Cyanine5.5 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792J] Isotype Control

PerCP/Cyanine 5.5 Conjugation

Conjugation Information PerCP/Cyanine5.5 is designed to be excited by the blue laser (488 nm) and detected

using an optical filter centered near 675 nm (e.g., a 690/50 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein

protectant.

Applications Recommended usage

FCM Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

Antigen Information

NKRP1A;CLEC5B;HNKR-P1a;KLRB1;NKR-P1A **Alternate Names**

Uniprot ID Q12918 Gene ID 3820

Background CD161 is a type II transmembrane glycoprotein, also known as NKR-P1A, that is

> expressed as a 40-44 kD homodimer. It is a member of the C-type lectin superfamily. CD161 is expressed on a majority of NK cells, NKT cells, and subsets of peripheral T cells and CD3+ thymocytes. It has been reported that Th17 cells are a subpopulation of CD4+CD161+CCR6+ cells. While the biological function of CD161 is not clear, it has been suggested to serve either as a stimulatory receptor or to inhibit NK cell-mediated cytotoxicity and cytokine production. LLT-1 (lectin-like transcript-1, also named as

osteoclast inhibitory lectin or CLEC2D) is the ligand of CD161.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web:www.elabscience.com

Email:techsupport@elabscience.com

Rev. V1.5