# **Elabscience**®

## **HIST1H3A Polyclonal Antibody**


### catalog number: E-AB-53536

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Immunogen	Synthetic peptide of human HIST1H3A
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Annlications	Recommended Dilution

Applications	Recommended Dirution
WB	1:500-1:2000
IHC	1:25-1:100


#### Data




Western blot analysis of 293T and NIH/3T3 cell Mouse liver Immunohistochemistry of paraffin-embedded Human liver cancer tissue using HIST1H3A Polyclonal Antibody at dilution of  $1:30(\times 200)$ 

tissue HUVEC cell lysates using HIST1H3A Polyclonal Antibody at dilution of 1:250

#### **Observed-MW:Refer to figures**





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using HIST1H3A Polyclonal Antibody at dilution of 1:30(×200)

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt,store it immediately at the

temperature recommended.

Background

### For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Tel: 1-832-243-6086 Email:techsupport@elabscience.com Fax: 1-832-243-6017

# **Elabscience**®

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 famil y. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3.

For Research Use Only