## Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

# Mouse FAS/CD95 Antibody Pair Set

Catalog No. E-KAB-0691 Applications ELISA

**Synonyms** FASR;TNFRSF6;APO1;APT1;FAS1;FASTM;ALPS1A

## Kit components & Storage

Title	Specifications	Storage
Mouse FAS/CD95 Capture Antibody	1 vial, 100 μ g	Store at -20°C. Avoid freeze /
		thaw cycles.
Mouse FAS/CD95 Detection Antibody	1 vial, 50 μL	Store at -20°C. Avoid freeze /
(Biotin)		thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Product Information**

Items		Characteristic (E-KAB-0691)		
		Mouse FAS/CD95 Capture Antibody	Mouse FAS/CD95 Detection Antibody	
			(Biotin)	
Immunogen	Immunogen	Recombinant Mouse FAS protein	Recombinant Mouse FAS protein	
Information	Swissprot	P25446		
Product details	Reactivity	Mouse	Mouse	
	Host	Goat	Goat	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%	
		glycerol, pH 7.4	protective protein, 50% glycerol, pH	
			7.4	
	Purify	Affinity purification	Affinity purification	
	Specificity	Detects Mouse FAS in ELISAs.		

For Research Use Only

Tel: 400-999-2100 Web: <a href="www.elabscience.cn">www.elabscience.cn</a> Email: <a href="mailto:techsupport@elabscience.cn">techsupport@elabscience.cn</a>

## Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

## **Applications**

Mouse FAS Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4ug/mL	Mouse FAS/CD95 Capture	
Capture		Antibody	10
			Aisun
ELISA	1:1000-1:10000	Mouse FAS/CD95	Optical Density
Detection		Detection Antibody	0.1
		(Biotin)	
			0.01 10 100 1000 10000 Mouse FAS/CD95 concentration (pg/mL)
			Mouse (ASCEPS) concentration (pg/ml.)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

#### **Background**

CD95 is a 45 kD single chain type I glycoprotein also known as Fas,APO-1,and TNFRSF6. It is a member of the TNF receptor superfamily. CD95 is expressed on T and B lymphocytes,monocytes,neutrophils,and fibroblasts. CD95 expression is upregulated by activation. The extracellular region of CD95 binds to CD178 (Fas ligand). CD178 binding to CD95 induces apoptosis and has been shown to play a role in the maintenance of peripheral tolerance.

Tel: 400-999-2100 Web: <a href="www.elabscience.cn">www.elabscience.cn</a> Email: <a href="techsupport@elabscience.cn">techsupport@elabscience.cn</a>