

Recombinant Human Otolin-1 (C-6His)

Catalog Number: PKSH033958

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Human
Source	HEK293 Cells-derived Human Otolin-1 protein Lys24-Pro477, with an C-terminal His
Calculated MW	47.7 kDa
Observed MW	84-94 kDa
Accession	A6NHN0
Bio-activity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, 5% Trehalose, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Otolin (OTOL1), also known as C1qTNF15, is an approximately 65 kDa protein found in the otoconial membrane lining the cochlea and vestibular labyrinth of the inner ear. Collagen-like protein specifically expressed in the inner ear, which provides an organic scaffold for otoconia, a calcium carbonate structure in the saccule and utricle of the ear. It associates into multimers and disulfide-linked oligomers and also associates with other otoconial proteins including and Otoconin-90 (also known as PLA2G2A, PLA2L, and phospholipase A2 homolog) and Cerebellin-1. It is extensively glycosylated and has multiple hydroxylated proline residues in the collagenous regions.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017