# **Elabscience**®

## **NTRK1 Polyclonal Antibody**

### catalog number: E-AB-66502


Note: Centrifuge before opening to ensure complete recovery of vial contents.


1:50-1:200

Description	
Reactivity	Human;Mouse;Rat
Immunogen	A synthetic peptide of human NTRK1 (NP_002520.2).
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000

#### Data

IHC







Western blot analysis of extracts of various cell lines using Immunohistochemistry of paraffin-embedded Rat liver using

NTRK1 Polyclonal Antibody at dilution of 1:500.

Observed-MW:140 kDa Calculated-MW:77 kDa/83 kDa/86 kDa/87 kDa



Immunohistochemistry of paraffin-embedded Rat liver using NTRK1 Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded Human stomach using NTRK1 Polyclonal Antibody at dilution of 1:100 (40x lens).

Immunohistochemistry of paraffin-embedded Mouse brain using NTRK1 Polyclonal Antibody at dilution of 1:100 (40x lens).

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.

#### Background

### For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w .elabscience.com</u>

Tel: 1-832-243-6086 Email:techsupport@elabscience.com

# **Elabscience**®

This gene encodes a member of the neurotrophic tyrosine kinase receptor (NTKR) family. This kinase is a membranebound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes. Mutations in this gene have been associated with congenital insensitivity to pain, anhidrosis, self-mutilating behavior, mental retardation and cancer. Alternate transcriptional splice variants of this gene have been found, but only three have been characterized to date.

For Research Use Only