
Purified Anti-Mouse/Human GAL3 Antibody[M3/38]

catalog number: AN003440P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Mouse/Human
Immunogen	Recombinant Mouse GAL3 protein
Host	Rat
Isotype	Rat IgG2a, κ
Clone	M3/38
Purification	>98%, Protein A/G purified
Conjugation	Unconjugated
buffer	PBS, pH 7.2. Contains 0.05% proclin 300.
Applications	Recommended Dilution
FCM	$2 \ \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$
Data	
<u>ع</u> ر الم	



Human peripheral blood lymphocytes were stained with 0.2

μg Purified Anti-Mouse/Human GAL3 Antibody[M3/38]

(Right) and 0.2 μ g Mouse IgG2a, κ Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Mouse

IgG Secondary Antibody.

Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /
	thaw cycles.
Shipping	Ice bag

Background

Galactose-specific lectin which binds IgE. May mediate with the alpha-3, beta-1 integrin the stimulation by CSPG4 of endothelial cells migration. Together with DMBT1, required for terminal differentiation of columnar epithelial cells during early embryogenesis. In the nucleus: acts as a pre-mRNA splicing factor. Involved in acute inflammatory responses including neutrophil activation and adhesion, chemoattraction of monocytes macrophages, opsonization of apoptotic neutrophils, and activation of mast cells. Together with TRIM16, coordinates the recognition of membrane damage with mobilization of the core autophagy regulators ATG16L1 and BECN1 in response to damaged endomembranes.

For Research Use Only