

## Recombinant Human CLEC10A/CD301 Protein (Fc Tag)

**Catalog Number:** PKSH031411

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	HEK293 Cells-derived Human CLEC10A/CD301 protein Gln61-His292, with an N-terminal hFc
<b>Calculated MW</b>	54.6 kDa
<b>Observed MW</b>	58 kDa
<b>Accession</b>	Q8IUN9-2
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 85 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4 Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Data



> 85 % as determined by reducing SDS-PAGE.

### Background

CLEC10A, also known as the macrophage galactose-type calcium-type lectins (MGLs; CD301) constitute a unique class of C-type lectins because of their specificity for galactose and its structural homologues. MGLs/CD301 is a type II transmembrane glycoproteins and is expressed on macrophages and related cells of myeloid origins, particularly immature dendritic cells (DCs). There are 2 homologues: MGL1 and MGL2 (CD301a and CD301b) in mice. MGL1/CD301a induces both the production and secretion of interleukin (IL)-10. MGL1/CD301a plays a protective role against colitis by effectively inducing IL-10 production by colonic lamina propria macrophages in response to invading commensal bacteria.

### For Research Use Only