

## Recombinant Human SWSAP1 Protein (His Tag)

**Catalog Number:** PKSH032095

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	E.coli-derived Human SWSAP1 protein Met 1-Pro229, with an N-terminal His
<b>Calculated MW</b>	25.7 kDa
<b>Observed MW</b>	30 kDa
<b>Accession</b>	Q6NVH7
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of PBS, 1mM EDTA, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

SWSAP1 is a nucleus ATPase protein, interacts with ZSWIM7 and forms a functional complex. The complex involved in homologous recombination repair and stabilizes each other. SWS1AP1 also interacts with RAD51, RAD51B, RAD51C, RAD51D and XRCC3. It involves in homologous recombination repair. ATPase is preferentially stimulated by single-stranded DNA and is involved in homologous recombination repair (HRR). SWSAP1 has a DNA-binding activity which is independent of its ATPase activity.

### For Research Use Only