Recombinant Human Contactin 2/CNTN2 Protein (His Tag)



Catalog Number: PKSH031598

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Synonyms Contactin-2;Axonal glycoprotein TAG-1;Axonin-1;Transient axonal glycoprotein

1;CNTN2;AXT;TAG1;TAX1

Species Human

Expression Host HEK293 Cells
Sequence Met 1-Asn 1012
Accession NP_005067.1
Calculated Molecular Weight 109 kDa
Observed molecular weight 140 kDa
Tag C-His

Bioactivity Measured by the ability of the immobilized protein to support the adhesion of C6

Rat brain glial cells. When 5×10^4 cells/well are added to CNTN2-coated plates (0.8 µg/ml and 100 µl/well), approximately 40%-60% will adhere specifically after 60

minutes at 37°C.

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per ug of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to

-80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots

of reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from sterile 100mM Glycine, 10mM NaCl, 50mM Tris, pH 7.5


Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as

protectants before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Contactins are a subgroup of molecules belonging to the immunoglobulin superfamily that are expressed exclusively in the nervous system. The subgroup consists of six members: Contactin-1, Contactin-2(TAG-1), Contactin-3(BIG-1), BIG-2, Contactin-5(NB-2) and NB-3. Axonal expression and the neurite extension activity of Contactin-1 and Contactin-2

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com

Recombinant Human Contactin 2/CNTN2 Protein (His Tag)



Fax: 1-832-243-6017

Catalog Number: PKSH031598

attracted researchers to study the function of these molecules in axon guidance during development. Contactin-1 and Contactin-2 have come to be known as the principal molecules in the function and maintenance of myelinated neurons. Contactin-2, also known as CNTN2, is a glycosylphosphatidylinositol (GPI)-anchored neuronal membrane protein that functions as a cell adhesion molecule. Contactin-2 is expressed by a subset of neuronal populations in the developing central nervous system (CNS) and peripheral nervous system (PNS). Contactin-2 is also expressed by oligodendrocytes and Schwann cells, which are myelinating glial cells of the CNS and PNS, respectively. Contactin-2 may play a role in the formation of axon connections in the developing nervous system. Contactin-2 is also involved in glial tumorigenesis and may provide a potential target for therapeutic intervention. During embryonic development, Contactin-2 interacts either in a homophilic, or heterophilic fashion with various transmembrane proteins.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com
Email: techsupport@elabscience.com