

A Reliable Research Partner in Life Science and Medicine

Filamin-c Polyclonal Antibody

catalog number: E-AB-40582

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant Human Filamin-c protein expressed by E.coli.

Host Rabbit
Isotype IgG


Purification Antigen Affinity Purification

Buffer PBS with 0.05% proclin 300, 1% protective protein and 50% glycerol,pH7.4

Applications Recommended Dilution

WB 1:500-1000

Data



Western blotting with anti-Filamin-c polyclonal antibody at dilution of 1:500. Lane 1: Mouse skeletal muscle lysate, Lane 2: Mouse liver lysate (Negative), lane 3: Rat skeletal muscle lysate, Lane 4:Rat liver lysate (Negative), Lane 5: Hela cell lysate.

Observed-MV:290 kDa Calculated-MV:291 kDa

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

FLNC, Filamin-c, Filamin-2 (FLN2), Actin binding-like protein (APBL) (290.8 kDa) is an isoform of the Filamin proteins family. Filamins are broadly expressed and function as actin-binding and actin-crosslinking proteins. Structurally, Filamins consist of three main domains; N-terminal actin-binding domain, multiple central immunoglobulin (Ig) domains, and a C-terminal domain which supports homodimerization.

For Research Use Only

Fax: 1-832-243-6017