GRIK2 Polyclonal Antibody

catalog number: E-AB-53166



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Fusion protein of human GRIK2

Host Rabbit
Isotype IgG

Purification Antigen affinity purification


Conjugation Unconjugated

buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

IHC 1:50-1:100

Data



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using GRIK2 Polyclonal Antibody at dilution of 1:60(×200)

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

GRIK2 (Glutamate Ionotropic Receptor Kainate Type Subunit 2) is a Protein Coding gene. Diseases associated with GRIK2 include Autosomal Recessive Non-Syndromic Intellectual Disability and Spinocerebellar Ataxia 11. Among its related pathways are CREB Pathway and Presynaptic function of Kainate receptors. GO annotations related to this gene include protein homodimerization activity and ubiquitin protein ligase binding. An important paralog of this gene is GRIK3. Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to the kainate family of glutamate receptors, which are composed of four subunits and function as ligand-activated ion channels. The subunit encoded by this gene is subject to RNA editing at multiple sites within the first and second transmembrane domains, which is thought to alter the structure and function of the receptor complex. Alternatively spliced transcript variants encoding different isoforms have also been described for this gene. Mutations in this gene have been associated with autosomal recessive mental retardation.

For Research Use Only